

CLAIMS

What is claimed is:

- 1 1. A method for speculatively reading data from a secondary storage device, the method
2 comprising:
3 reading a first datum from a secondary storage device, the secondary storage device being
4 capable of storing data on a storage medium;
5 determining a probability of the secondary storage device receiving a read request for a
6 second datum stored on the storage medium, the second datum being logically related to the first
7 datum;
8 if the probability is above a pre-determined probability value, then determining a cost to
9 speculatively read the second datum, the cost being based on a position of a read/write head,
10 relative to the second datum's physical location on the fixed medium, when the read/write head is
11 reading the first datum;
12 if the cost to speculatively read the second datum is below a pre-determined cost value,
13 then reading the second datum without a request being received from outside the secondary
14 storage device for the second datum;
15 storing the second datum in a secondary storage device cache; and
16 producing the second datum from the secondary storage device cache if the secondary
17 storage device receives a later request for the second datum.
- 1 2. The method of claim 1, wherein the secondary storage device is a hard disk drive.
- 1 3. The method of claim 2, wherein the storage medium is a magnetic disk.
- 1 4. The method of claim 1, wherein the storage medium is an optical disk.
- 1 5. The method of claim 1, wherein the probability of the secondary storage device receiving
2 the request for the second datum is determined by a history of the second datum being requested
3 when the first datum is requested.

1 6. The method of claim 1, wherein the probability of the secondary storage device receiving
2 the request for the second datum is determined by a physical proximity of the first and second
3 datum on the storage medium.

1 7. The method of claim 1, wherein the cost to speculatively read the second datum is
2 determined by the first and second datum being on a same track on the storage medium.

1 8. The method of claim 1, wherein the probability of the secondary storage device receiving
2 the request for the second datum is determined by the first and second datum being of a same
3 format.

1 9. The method of claim 1, wherein the first and second datum are on different disk surfaces
2 associated with a first read/write head and a second read/write head respectively, and wherein the
3 cost to speculatively read the second datum is determined by the second read/write head being
4 near the physical location of the second datum when the first read/write head is near the physical
5 location of the first datum.

1 10. A computer program product, residing on a computer usable medium, for speculatively
2 reading data from a secondary storage device, the computer program product comprising:
3 program code for reading a first datum from a secondary storage device, the secondary
4 storage device being capable of storing data on a storage medium;
5 program code for determining a probability of the secondary storage device receiving a
6 read request for a second datum stored on the storage medium, the second datum being logically
7 related to the first datum;
8 program code for, if the probability is above a pre-determined probability value, then
9 determining a cost to speculatively read the second datum, the cost being based on a position of a
10 read/write head, relative to the second datum's physical location on the fixed medium, when the
11 read/write head is reading the first datum;

program code for, if the cost to speculatively read the second datum is below a pre-determined cost value, then reading the second datum without a request being received from outside the secondary storage device for the second datum;

program code for storing the second datum in a secondary storage device cache; and

program code for producing the second datum from the secondary storage device cache if the secondary storage device receives a later request for the second datum.

11. The computer program product of claim 10; wherein the secondary storage device is a hard disk drive.

12. The computer program product of claim 10, wherein the storage medium is a magnetic disk.

13. The computer program product of claim 10, wherein the storage medium is an optical disk.

14. The computer program product of claim 10, wherein the probability of the secondary storage device receiving the request for the second datum is determined by a history of the second datum being requested when the first datum is requested.

15. The computer program product of claim 10, wherein the probability of the secondary storage device receiving the request for the second datum is determined by a physical proximity of the first and second datum on the storage medium.

16. The computer program product of claim 10, wherein the cost to speculatively read the second datum is determined by the first and second datum being on a same track on the storage medium.

1 17. The computer program product of claim 10, wherein the cost to speculatively read the
2 second datum is determined by the first and second datum being on a same track on the storage
3 medium.

1 18. The computer program product of claim 10, wherein the first and second datum are on
2 different disk surfaces associated with a first read/write head and a second read/write head
3 respectively, and wherein the cost to speculatively read the second datum is determined by the
4 second read/write head being near the physical location of the second datum when the first
5 read/write head is near the physical location of the first datum.